



# Duomenys:



## FILCOTEN tec NW100

### I. Latakas:

#### tec NW100 mini 80 V-E



#### tec NW100 V-E



Latakas - išmatavimai [mm]


| Tipas    | Aukštis A | Aukštis B | Ilgis | BG kodas V | BG kodas E |
|----------|-----------|-----------|-------|------------|------------|
| mini 80  | 80        | 80        | 1000  | 10210201   | 10210301   |
| 0        | 135       | 135       | 1000  | 10410200   | 10410300   |
| 0 (0,5m) | 135       | 135       | 500   | 10410250   | 10410350   |
| 1        | 135       | 140       | 1000  | 10410201   | 10410301   |
| 2        | 140       | 145       | 1000  | 10410202   | 10410302   |
| 3        | 145       | 150       | 1000  | 10410203   | 10410303   |
| 4        | 150       | 155       | 1000  | 10410204   | 10410304   |
| 5        | 155       | 160       | 1000  | 10410205   | 10410305   |
| 5-0      | 160       | 160       | 1000  | 10410261   | 10410361   |
| 6        | 160       | 165       | 1000  | 10410206   | 10410306   |
| 7        | 165       | 170       | 1000  | 10410207   | 10410307   |
| 8        | 170       | 175       | 1000  | 10410208   | 10410308   |
| 9        | 175       | 180       | 1000  | 10410209   | 10410309   |
| 10       | 180       | 185       | 1000  | 10410210   | 10410310   |
| 10-0     | 185       | 185       | 1000  | 10410262   | 10410362   |

#### Paaiškinimas:

|    |                      |
|----|----------------------|
| V: | cinkuotas plienas    |
| E: | Nerūdijantis plienas |
| G: | Ketus                |
| H: | Medis                |



2. Plyšinės grotelės:

A15kN SW8/80: V 17010202 (17010203), E 17010302 (17010303)  
C250kN SW8/80: V 17010206 (17010207), E 17010306 (17010307)




A15kN:

C250kN:





2. Perforuotos grotelės:

A15kN d6: V 17010204 (17010205), E 17010304 (17010305)  
C250kN d6: V 17010228 (17010229), E 17010328 (17010329)




A15kN:

C250kN:





2. Tinklinės grotelės:

B125kN MW30/10: V 17010220 (17010221)  
C250kN MW30/10: V 17010222 (17010223), E 17010322 (17010323)





B125kN:

C250kN:





2. Plastikinės grotelės "COMBee":

C250kN Ø7,3: PA 17010402




2. Ketaus grotelės:

C250kN MW29/13: GJS 17010101



C250kN MW29/6: GJS 17010106




duomenys:

FILCOTEN tec NW100




2. Plyšinis dangtis:

C250kN SW12,5: V 17110243 (17110244), E 17110343 (17110344)




C250kN SW18: V 17110233 (17110234), E 17110333 (17110334)




2. Revizija:


C250kN SW12,5: V 17110281, E 17110381




C250kN SW18: V 17110295, E 17110395





2. Plyšinio dangčio perforuotas tarpas 8/8mm:  
V 37951 (37950), E 37956 (37955)



4. Pradžios/pabaigos plokštelė:  
V 17110280, E 17110380



2. Montažinis dangčio tarpas SW 18:  
H 37961




duomenys:

FILCOTEN tec NW100






3. Itekėjimo dėžė:  
(pasirinktinai: sifonas: 30056, nešvarumų indas: 22515)  
V 10410291, E 10410391




4. Pradžios /pabaigos plokštelė:  
V 19010230, E 19010330

V 19010231, E 19010331

mini: V 19010200, E 19010300



5. Saugumo užraktas  
E 32087:



6. Sifonas, pajungimas į apačią:  
PVC 30019

